


NOTE: UNLESS OTHERWISE SPECIFIED

1. ALL RESISTORS 1/8W ± 5%.
2. ALL CAPACITORS ARE IN MICROFARADS UNLESS OTHERWISE SPECIFIED.
3. * INDICATES SAME OPTO-COUPLE AE1.
4. JUMPER E1 TO E3 FOR 120 VAC INPUT.
5. JUMPER E1 TO E2 FOR 240 VAC INPUT.
6. SQUARE INDICATES FLYLEAD ON TRANSFORMER.
7. ROUND INDICATES PCB CONN ON TRANSFORMER.



REFERENCE DESIGNATION	
LAST USED	NOT USED
AB1	C23
C24	R22
CR19	
L4	
Q7	
R33	
U2	

APPLE COMPUTER CONFIDENTIAL

ENGINEERING RELEASE

This revision supersedes all previous versions. Please destroy all old copies.

NOTICE OF PROPRIETARY PROPERTY

The information contained herein is the proprietary property of Apple Computer, Inc. The possessor agrees to the following:

- (i) To maintain this document in confidence
- (ii) Not to reproduce or copy it.
- (iii) Not to reveal or publish it in whole or part.


ITEM	QTY	REV	DESCRIPTION
1	1	1	POWER SUPPLY, PROFILE(SCHEMATIC)
2	1	1	E 050-5009-A
3	1	1	SCALE NONE
4	1	1	SHEET 3 OF 3

2. ALL RESISTOR VALUES ARE IN OHMS, 1/4 WATT, 3%.

REV	ZONE	SEC #	REVISION	APPRO
A		P165	INITIAL RELEASE	

NOTICE OF PROPRIETARY PROPERTY
The information contained herein is the
proprietary property of Apple Computer, Inc.
The possessor agrees to the following:
(i) To maintain this document in confidence
(ii) Not to reproduce or copy it.

(III) Not to reveal or publish it in whole or part.




TRIPLE ANGLE FROM
ONE POINT ON ALL SPACES

[illegible]

NOTE: UNLESS OTHERWISE SPECIFIED
 1. ALL RESISTOR VALUES ARE IN OHMS, $\frac{1}{4}$ WATT, 5%.
 2. ALL CAPACITOR VALUES ARE IN MICROFARADS.
 3. ALL RESISTOR PACK VALUES ARE 4.7K OHMS.

REV	DATE	BY	DESCRIPTION
4	8/83	INITIAL RELEASE	
5	8/83	DELETED R31	



**APPLE COMPUTER
CONFIDENTIAL**

ENGINEERING RELEASE
 This revision supersedes all previous versions.
 Please destroy all old copies.
NOTICE OF PROPRIETARY PROPERTY
 The information contained herein is the
 proprietary property of Apple Computer, Inc.
 The possessor agrees to the following:
 (I) To maintain this document in confidence
 (II) Not to reproduce or copy it.
 (III) Not to reveal or publish it in whole or part.

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	U1	74LS174
2	1	U2	74LS174
3	1	U3	74LS174
4	1	U4	74LS174
5	1	U5	74LS174
6	1	U6	74LS174
7	1	U7	74LS174
8	1	U8	74LS174
9	1	U9	74LS174
10	1	U10	74LS174
11	1	U11	74LS174
12	1	U12	74LS174
13	1	U13	74LS174
14	1	U14	74LS174
15	1	U15	74LS174
16	1	U16	74LS174
17	1	U17	74LS174
18	1	U18	74LS174
19	1	U19	74LS174
20	1	U20	74LS174
21	1	U21	74LS174
22	1	U22	74LS174
23	1	U23	74LS174
24	1	U24	74LS174
25	1	U25	74LS174
26	1	U26	74LS174
27	1	U27	74LS174
28	1	U28	74LS174
29	1	U29	74LS174
30	1	U30	74LS174
31	1	U31	74LS174
32	1	U32	74LS174
33	1	U33	74LS174
34	1	U34	74LS174
35	1	U35	74LS174
36	1	U36	74LS174
37	1	U37	74LS174
38	1	U38	74LS174
39	1	U39	74LS174
40	1	U40	74LS174
41	1	U41	74LS174
42	1	U42	74LS174
43	1	U43	74LS174
44	1	U44	74LS174
45	1	U45	74LS174
46	1	U46	74LS174
47	1	U47	74LS174
48	1	U48	74LS174
49	1	U49	74LS174
50	1	U50	74LS174
51	1	U51	74LS174
52	1	U52	74LS174
53	1	U53	74LS174
54	1	U54	74LS174
55	1	U55	74LS174
56	1	U56	74LS174
57	1	U57	74LS174
58	1	U58	74LS174
59	1	U59	74LS174
60	1	U60	74LS174
61	1	U61	74LS174
62	1	U62	74LS174
63	1	U63	74LS174
64	1	U64	74LS174
65	1	U65	74LS174
66	1	U66	74LS174
67	1	U67	74LS174
68	1	U68	74LS174
69	1	U69	74LS174
70	1	U70	74LS174
71	1	U71	74LS174
72	1	U72	74LS174
73	1	U73	74LS174
74	1	U74	74LS174
75	1	U75	74LS174
76	1	U76	74LS174
77	1	U77	74LS174
78	1	U78	74LS174
79	1	U79	74LS174
80	1	U80	74LS174
81	1	U81	74LS174
82	1	U82	74LS174
83	1	U83	74LS174
84	1	U84	74LS174
85	1	U85	74LS174
86	1	U86	74LS174
87	1	U87	74LS174
88	1	U88	74LS174
89	1	U89	74LS174
90	1	U90	74LS174
91	1	U91	74LS174
92	1	U92	74LS174
93	1	U93	74LS174
94	1	U94	74LS174
95	1	U95	74LS174
96	1	U96	74LS174
97	1	U97	74LS174
98	1	U98	74LS174
99	1	U99	74LS174
100	1	U100	74LS174